

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Noxion B.V.

Supplier's address: Noxion B.V., Schootense Dreef 27, 5708 HZ Helmond, NL

Model identifier: 8719157036641

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	G13		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

Product parameters



Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	14	Energy efficiency class	D
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	1 900 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode power (P_{on}), expressed in W	14,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate control gear, lighting control	Height	1 212	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	1	
	Depth	28	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,380 0,380
Parameters for LED and OLED light sources:			
R9 colour rendering index value	0	Survival factor	0,90
the lumen maintenance factor	0,96		

(a) : not applicable;

(b) : not applicable;

Spectroradiometric Parameters



Chromaticity Coordinates: $x=0.3800$ $y=0.3760$ $u'=-0.2251$ $v'=-0.5012$

Correlated Color Temperature: 4006 K

Dominant Wavelength: 578.0 nm(E)

Colour Fidelity Index: Rf-81

Gamut Index: Rg-94

Luminous Flux: 2117.50 lm

Purity: 0.2690

Chromaticity Difference: -0.00022Duv

Peak Wavelength: 450.0 nm

Color Ratio: Kr-38.3% Kg-52.1% Kb-9.6%

Color Tolerance(SDCM): 2.0396

Bandwidth: 27.3nm


Radiant Flux: 6.121 W

Rendering Index: Ra-83.4

R1-82 R2-90 R3-95 R4-82 R5-82 R6-86 R7-86 R8-64

R9-9 R10-77 R11-81 R12-61 R13-85 R14-98 R15-76 Re-77

Model placed on the Union market from 15/06/2022



EPREL registration number: 1138958

<https://eprel.ec.europa.eu/qr/1138958>

Supplier: PICPAC B.V. (Manufacturer)

Website: www.picpac.nl

Customer care service:

Name: Noxion B.V.

Website: <https://www.noxion.com/nl/>

Email: info@noxion.com

Phone: 085 – 303 29 82

Address:

Schootense Dreef 27
5708 HZ Helmond
Netherlands