



Specifications Noxion LED Panel
Louvre Excell Pronox 34W 3550lm -
830 Warm White | 60x60cm - UGR 152
- Dali Dimmable

[View Product](#)

General Information

SKU	235758
EAN	8719157006507
Brand	Noxion
Manufacturer Name	Noxion LED Louvre Excell G2. 34W 3000K 600 Polish DALI (4x14W eqv.)
Any Lamp all-in warranty	6 Years
Average Lifetime (h)	70000
Series	Louvre Excell

Technical Information

Technology	LED Integrated
Replaces (Watt)	4x18
Wattage	34
Voltage (V)	220-240
Dimmable	Dimmable with Dali
Colour Code	830 Warm White
Colour temperature (Kelvin)	3000 Warm White
Colour Rendering (Ra)	80-89
Colour of Light	White
Light colour options	Single Color
Luminous Flux (Lumen)	3550

Luminous Efficacy (lm/W)	104.4
Suitable for Outdoor	No
IP-rating	IP20
Impact Protection (IK)	IK02 - 0.20 joule
Fixture Connection	Terminal, 2-pole (MAINS) 2-pole (DIM)
Finish of Reflector	Gloss
Driver Included	Yes
Power factor	>0.90
Product Type Category	LED Panel

Fixture Information

Mounting Method	Recessed
Unified Glare Rating	< 15 - for special applications
Optical Cover	PET (Polyethylene Terephthalate)
Operating Temperature	-20 to +50
Emergency Lighting	No Emergency Unit
Colour of the Fixture	White
Housing	Steel
Colour of material	White

Dimensions

LED panel size	60x60cm
Length (mm)	595
Width (mm)	595
Height (mm)	55

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?

 Order from the **largest lighting specialist** in Europe  **Customised** quotation

 Up to **7 years warranty**  **Easy** return process

